

[MS-ASWBXML]: ActiveSync WAP Binary XML (WBXML) Protocol Specification

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft's Open Specification Promise (available here: <http://www.microsoft.com/interop/osp>) or the Community Promise (available here: <http://www.microsoft.com/interop/cp/default.mspx>). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplq@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.
- **Fictitious Names.** The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

Revision Summary

Date	Revision History	Revision Class	Comments
12/03/2008	1.0.0	Major	Initial Release.
04/10/2009	2.0.0	Major	Updated technical content and applicable product releases.
07/15/2009	3.0.0	Major	Revised and edited for technical content.
11/04/2009	4.0.0	Major	Updated and revised the technical content.
02/10/2010	5.0.0	Major	Updated and revised the technical content.

Table of Contents

1	Introduction	5
1.1	Glossary.....	5
1.2	References.....	5
1.2.1	Normative References	5
1.2.2	Informative References	6
1.3	Protocol Overview	6
1.4	Relationship to Other Protocols.....	6
1.5	Prerequisites/Preconditions.....	7
1.6	Applicability Statement.....	7
1.7	Versioning and Capability Negotiation.....	7
1.8	Vendor-Extensible Fields	7
1.9	Standards Assignments	7
2	Messages	9
2.1	Transport.....	9
2.2	Message Syntax.....	9
2.2.1	WBXML	9
2.2.1.1	WBXML Features Used in the Protocol.....	9
2.2.1.2	Code Pages	9
2.2.1.2.1	Code Page 0: AirSync.....	10
2.2.1.2.2	Code Page 1: Contacts	12
2.2.1.2.3	Code Page 2: Email	14
2.2.1.2.4	Code Page 3: AirNotify	15
2.2.1.2.5	Code Page 4: Calendar.....	15
2.2.1.2.6	Code Page 5: Move	17
2.2.1.2.7	Code Page 6: ItemEstimate.....	17
2.2.1.2.8	Code Page 7: FolderHierarchy	18
2.2.1.2.9	Code Page 8: MeetingResponse	18
2.2.1.2.10	Code Page 9: Tasks.....	19
2.2.1.2.11	Code Page 10: ResolveRecipients	20
2.2.1.2.12	Code Page 11: ValidateCert.....	21
2.2.1.2.13	Code Page 12: Contacts2	21
2.2.1.2.14	Code Page 13: Ping	22
2.2.1.2.15	Code Page 14: Provision.....	22
2.2.1.2.16	Code Page 15: Search	24
2.2.1.2.17	Code Page 16: GAL	25
2.2.1.2.18	Code Page 17: AirSyncBase.....	26
2.2.1.2.19	Code Page 18: Settings	26
2.2.1.2.20	Code Page 19: DocumentLibrary.....	27
2.2.1.2.21	Code Page 20: ItemOperations.....	28
2.2.1.2.22	Code Page 21: ComposeMail.....	29
2.2.1.2.23	Code Page 22: Email2	29
2.2.1.2.24	Code Page 23: Notes.....	30
3	Protocol Details.....	31
3.1	Common Details.....	31
3.1.1	Abstract Data Model.....	31
3.1.2	Timers	31
3.1.3	Initialization	31
3.1.4	Higher-Layer Triggered Events	31

3.1.5	Message Processing Events and Sequencing Rules	31
3.1.6	Timer Events.....	31
3.1.7	Other Local Events	31
4	Protocol Examples	32
4.1	Example 1.....	32
4.1.1	XML Message	32
4.1.2	WBXML Encoding.....	32
4.1.3	Byte Encoding	32
5	Security.....	36
5.1	Security Considerations for Implementers.....	36
5.2	Index of Security Parameters	36
6	Appendix A: Product Behavior	37
7	Change Tracking	50
8	Index.....	53

1 Introduction

This document specifies a protocol for the **Wireless Application Protocol (WAP) Binary XML (WBXML)** features utilized by the ActiveSync protocols. This document specifies which WBXML functionality is used by the protocol and which is not. It also specifies the **token** codes and **code pages** used by the ActiveSync protocols.

1.1 Glossary

The following terms are defined in [\[MS-OXGLOS\]](#):

Charset
contacts
Secure Sockets Layer (SSL)
Wireless Application Protocol (WAP)
WAP Binary XML (WBXML)
XML

The following terms are specific to this document:

code page: A numeric encoding specifier used to tokenize **XML** tags.

token: A single-byte code that represents a specific **XML** tag.

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We will assist you in finding the relevant information. Please check the archive site, <http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[MS-ASCAL] Microsoft Corporation, "[ActiveSync Calendar Class Protocol Specification](#)", December 2008.

[MS-ASCMD] Microsoft Corporation, "[ActiveSync Command Reference Protocol Specification](#)", December 2008.

[MS-ASCNTC] Microsoft Corporation, "[ActiveSync Contact Class Protocol Specification](#)", December 2008.

[MS-ASEMAIL] Microsoft Corporation, "[ActiveSync E-Mail Class Protocol Specification](#)", December 2008.

[MS-ASHTTP] Microsoft Corporation, "[ActiveSync HTTP Protocol Specification](#)", December 2008.

[MS-ASPROV] Microsoft Corporation, "[ActiveSync Provisioning Protocol Specification](#)", December 2008.

[MS-ASTASK] Microsoft Corporation, "[ActiveSync Tasks Class Protocol Specification](#)", December 2008.

[MS-OXGLOS] Microsoft Corporation, "[Exchange Server Protocols Master Glossary](#)", June 2008.

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.ietf.org/rfc/rfc2119.txt>.

[WBXML] W3C, "WAP Binary XML Content Format", June 1999, <http://www.w3.org/TR/wbxml/>.

1.2.2 Informative References

[RFC2616] Fielding, R., et al., "Hypertext Transfer Protocol -- HTTP/1.1", RFC 2616, June 1999, <http://www.ietf.org/rfc/rfc2616.txt>.

1.3 Protocol Overview

This document specifies how WBXML functionality is utilized by the ActiveSync protocols. This document also specifies the tokens and code pages used to perform the WBXML encoding.

1.4 Relationship to Other Protocols

The WBXML tokens and code pages specified in this protocol are used to compress the **XML** tags in request and response messages. The following table defines the ActiveSync protocol that specifies the XML namespace that corresponds to each of the code pages. Code pages are hard-coded on the server, and cannot be changed by the client.

The code page numbers are listed below in decimal format.

Code page	Specification
Code page 0: AirSync	[MS-ASCMD] section 2.2.1.19
Code page 1: Contacts	[MS-ASCNTC]
Code page 2: Email	[MS-AEMAIL]
Code page 3: Air Notify (not used)	(no longer used)
Code page 4: Calendar	[MS-ASCAL]
Code page 5: Move	[MS-ASCMD] section 2.2.1.10
Code page 6: ItemEstimate	[MS-ASCMD] section 2.2.1.7
Code page 7: FolderHierarchy	[MS-ASCMD] sections 2.2.1.2 , 2.2.1.3 , 2.2.1.4 , and 2.2.1.5
Code page 8: MeetingResponse	[MS-ASCMD] section 2.2.1.9
Code page 9: Tasks	[MS-ASTASK]
Code page 10: ResolveRecipients	[MS-ASCMD] section 2.2.1.13
Code page 11: ValidateCert	[MS-ASCMD] section 2.2.1.20
Code page 12: Contacts2	[MS-ASCNTC]
Code page 13: Ping	[MS-ASCMD] section 2.2.1.11

Code page	Specification
Code page 14: Provision	[MS-ASPROV]
Code page 15: Search	[MS-ASCMD] section 2.2.1.14
Code page 16: GAL	[MS-ASCMD] sections 2.2.1.13 and 2.2.1.14
Code page 17: AirSyncBase	[MS-ASAIRS]
Code page 18: Settings	[MS-ASCMD] section 2.2.1.16
Code page 19: DocumentLibrary	[MS-ASCMD] sections 2.2.1.8 and 2.2.1.14
Code page 20: ItemOperations	[MS-ASCMD] section 2.2.1.8
Code page 21: ComposeMail	[MS-ASCMD] sections 2.2.1.15 , 2.2.1.17 , and 2.2.1.18
Code page 22: Email2	[MS-ASEMAIL]
Code page 23: Notes	[MS-ASNOTE]

1.5 Prerequisites/Preconditions

None.

1.6 Applicability Statement

WBXML encoding of XML tags is appropriate for all messages sent and received by the ActiveSync protocol. This specification assumes that the reader is familiar with the WBXML standard. For more information about WBXML, see [\[WBXML\]](#).

1.7 Versioning and Capability Negotiation

None.

1.8 Vendor-Extensible Fields

None.

1.9 Standards Assignments

Token Name	Token	Reference
SWITCH_PAGE	0	[WBXML]
END	1	[WBXML]
ENTITY	2	[WBXML]
STR_I	3	[WBXML]
LITERAL	4	[WBXML]
EXT_I_0	40	[WBXML]
EXT_I_1	41	[WBXML]

Token Name	Token	Reference
EXT_I_2	42	[WBXML]
PI	43	[WBXML]
LITERAL_C	44	[WBXML]
EXT_T_0	80	[WBXML]
EXT_T_1	81	[WBXML]
EXT_T_2	82	[WBXML]
STR_T	83	[WBXML]
LITERAL_A	84	[WBXML]
EXT_0	C0	[WBXML]
EXT_1	C1	[WBXML]
EXT_2	C2	[WBXML]
OPAQUE	C3	[WBXML]
LITERAL_AC	C4	[WBXML]

2 Messages

2.1 Transport

ActiveSync messages are transported as HTTP POST messages, where the body of the message contains WBXML formatted data. The HTTP POST message header is specified in [\[MS-ASHTTP\]](#). The body of the HTTP message contains the XML required by the command being communicated in the message. The ActiveSync commands are specified in [\[MS-ASCMD\]](#).

2.2 Message Syntax

2.2.1 WBXML

The XML tags in both request and response messages are encoded by using WBXML tokenization. WBXML is a standard for compressing an XML data stream for efficient transmission over a low bandwidth connection, such as wireless. The format used by the ActiveSync protocol is a subset of the WBXML standard.

2.2.1.1 WBXML Features Used in the Protocol

The XML format that is used by the ActiveSync protocol is a subset of the WBXML standard, as specified in [\[WBXML\]](#). However, not all of the WBXML features specified in [\[WBXML\]](#) are used by this specification.

The ActiveSync protocol uses the following [\[WBXML\]](#) features:

- Tokens to encode XML tags
- Code pages to support multiple XML namespaces
- Inline strings

The ActiveSync protocol notifications use the following [\[WBXML\]](#) features:

- Attribute encoding
- Opaque data

The ActiveSync protocols do not use the following [\[WBXML\]](#) features:

- String tables
- Entities
- Processing instructions

2.2.1.2 Code Pages

The ActiveSync protocol supports the following code pages.

Code page	XML Namespace
0x0	AirSync
0x1	Contacts

Code page	XML Namespace
0x2	Email
0x3	AirNotify
0x4	Calendar
0x5	Move
0x6	ItemEstimate
0x7	FolderHierarchy
0x8	MeetingResponse
0x9	Tasks
0xA	ResolveRecipients
0xB	ValidateCert
0xC	Contacts2
0xD	Ping
0xE	Provision
0xF	Search
0x10	Gal
0x11	AirSyncBase
0x12	Settings
0x13	DocumentLibrary
0x14	ItemOperations
0x15	ComposeMail
0x16	Email2
0x17	Notes

2.2.1.2.1 Code Page 0: AirSync

The following table lists the tags in code page 0.

Tag	Token
Sync	05
Responses	06
Add	07
Change	08

Tag	Token
Delete	09
Fetch	0A
SyncKey	0B
ClientId	0C
ServerId	0D
Status	0E
Collection	0F
Class	10
Version	11
CollectionId	12
GetChanges	13
MoreAvailable	14
WindowSize	15
Commands	16
Options	17
FilterType	18
Truncation	19<1>
RTFTruncation	1A<2>
Conflict	1B
Collections	1C
ApplicationData	1D
DeletesAsMoves	1E
NotifyGUID	1F <3>
Supported	20
SoftDelete	21
MIMESupport	22
MIMETruncation	23
Wait	24<4>
Limit	25<5>
Partial	26<6>

Tag	Token
ConversationMode	27 <7>
MaxItems	28 <8>
HeartbeatInterval	29 <9>

2.2.1.2.2 Code Page 1: Contacts

The following table lists the tags in code page 1.

Tag	Token
Anniversary	05
AssistantName	06
AssistantTelephoneNumber	07
Birthday	08
Business2PhoneNumber	0C
BusinessCity	0D
BusinessCountry	0E
BusinessPostalCode	0F
BusinessState	10
BusinessStreet	11
BusinessFaxNumber	12
BusinessPhoneNumber	13
CarPhoneNumber	14
Categories	15
Category	16
Children	17
Child	18
CompanyName	19
Department	1A
Email1Address	1B
Email2Address	1C
Email3Address	1D
FileAs	1E

Tag	Token
FirstName	1F
Home2PhoneNumber	20
HomeCity	21
HomeCountry	22
HomePostalCode	23
HomeState	24
HomeStreet	25
HomeFaxNumber	26
HomePhoneNumber	27
JobTitle	28
LastName	29
MiddleName	2A
MobilePhoneNumber	2B
OfficeLocation	2C
OtherCity	2D
OtherCountry	2E
OtherPostalCode	2F
OtherState	30
OtherStreet	31
PagerNumber	32
RadioPhoneNumber	33
Spouse	34
Suffix	35
Title	36
Webpage	37
YomiCompanyName	38
YomiFirstName	39
YomiLastName	3A
CompressedRTF	3B<10>
Picture	3C

Tag	Token
Alias	3D <11>
WeightedRank	3E <12>

2.2.1.2.3 Code Page 2: Email

The following table lists the tags in code page 2.

Tag	Token
DateReceived	0F <13>
DisplayTo	11 <14>
Importance	12 <15>
MessageClass	13 <16>
Subject	14 <17>
Read	15 <18>
To	16 <19>
CC	17 <20>
From	18 <21>
ReplyTo	19 <22>
AllDayEvent	1A <23>
Categories	1B <24>
Category	1C <25>
DTStamp	1D <26>
EndTime	1E <27>
InstanceType	1F <28>
BusyStatus	20 <29>
Location	21 <30>
MeetingRequest	22 <31>
Organizer	23 <32>
RecurrenceId	24 <33>
Reminder	25 <34>
ResponseRequested	26 <35>
Recurrences	27 <36>

Tag	Token
Recurrence	28 <37>
Recurrence_Type	29 <38>
Recurrence_Until	2A <39>
Recurrence_Occurrences	2B <40>
Recurrence_Interval	2C <41>
Recurrence_DayOfWeek	2D <42>
Recurrence_DayOfMonth	2E <43>
Recurrence_WeekOfMonth	2F <44>
Recurrence_MonthOfYear	30 <45>
StartTime	31 <46>
Sensitivity	32 <47>
TimeZone	33 <48>
GlobalObjId	34 <49>
ThreadTopic	35 <50>
MIMEData	36 <51>
MIMETruncated	37 <52>
MIMESize	38 <53>
InternetCPID	39 <54>
Flag	3A <55>
FlagStatus	3B <56>
ContentClass	3C <57>
FlagType	3D <58>
CompleteTime	3E <59>
DisallowNewTimeProposal	3F <60>

2.2.1.2.4 Code Page 3: AirNotify

Code page 3 is no longer in use, however, tokens 05 through 17 have been defined.

2.2.1.2.5 Code Page 4: Calendar

The following table lists the tags in code page 4.

Tag	Token
TimeZone	05 <61>
AllDayEvent	06 <62>
Attendees	07 <63>
Attendee	08 <64>
Attendee_Email	09 <65>
Attendee_Name	0A <66>
BusyStatus	0D <67>
Categories	0E <68>
Category	0F <69>
RTF	10 <70>
DTStamp	11 <71>
EndTime	12 <72>
Exception	13 <73>
Exceptions	14 <74>
Exception_Deleted	15 <75>
Exception_StartTime	16 <76>
Location	17 <77>
MeetingStatus	18 <78>
Organizer_Email	19 <79>
Organizer_Name	1A <80>
Recurrence	1B <81>
Recurrence_Type	1C <82>
Recurrence_Until	1D <83>
Recurrence_Occurrences	1E <84>
Recurrence_Interval	1F <85>
Recurrence_DayOfWeek	20 <86>
Recurrence_DayOfMonth	21 <87>
Recurrence_WeekOfMonth	22 <88>
Recurrence_MonthOfYear	23 <89>
Reminder_MinsBefore	24 <90>

Tag	Token
Sensitivity	25 <91>
Subject	26 <92>
StartTime	27 <93>
UID	28 <94>
Attendee_Status	29 <95>
Attendee_Type	2A <96>
DisallowNewTimeProposal	33 <97>
ResponseRequested	34 <98>
AppointmentReplyTime	35 <99>
ResponseType	36 <100>
CalendarType	37 <101>
IsLeapMonth	38 <102>

2.2.1.2.6 Code Page 5: Move

The following table lists the tags in code page 5.

Tag	Token
Moves	05
Move	06
SrcMsgId	07
SrcFldId	08
DstFldId	09
Response	0A
Status	0B
DstMsgId	0C

2.2.1.2.7 Code Page 6: ItemEstimate

The following table lists the tags in code page 6.

Tag	Token
GetItemEstimate	05
Version	06 <103>

Tag	Token
Collections	07
Collection	08
Class	09 <104>
CollectionId	0A
DateTime	0B <105>
Estimate	0C
Response	0D
Status	0E

2.2.1.2.8 Code Page 7: FolderHierarchy

The following table lists the tags in code page 7.

Tag	Token
DisplayName	07
ServerId	08
ParentId	09
Type	0A
Status	0C
Changes	0E
Add	0F
Delete	10
Update	11
SyncKey	12
FolderCreate	13
FolderDelete	14
FolderUpdate	15
FolderSync	16
Count	17

2.2.1.2.9 Code Page 8: MeetingResponse

The following table lists the tags in code page 8.

Tag	Token
CalendarId	05
CollectionId	06
MeetingResponse	07
RequestId	08
Request	09
Result	0A
Status	0B
UserResponse	0C

2.2.1.2.10 Code Page 9: Tasks

The following table lists the tags in code page 9.

Tag	Token
Categories	08 <106>
Category	09 <107>
Complete	0A <108>
DateCompleted	0B <109>
DueDate	0C <110>
UTCDueDate	0D <111>
Importance	0E <112>
Recurrence	0F <113>
Recurrence_Type	10 <114>
Recurrence_Start	11 <115>
Recurrence_Until	12 <116>
Recurrence_Occurrences	13 <117>
Recurrence_Interval	14 <118>
Recurrence_DayOfMonth	15 <119>
Recurrence_DayOfWeek	16 <120>
Recurrence_WeekOfMonth	17 <121>
Recurrence_MonthOfYear	18 <122>
Recurrence_Regenerate	19 <123>

Tag	Token
Recurrence_DeadOccur	1A <124>
ReminderSet	1B <125>
ReminderTime	1C <126>
Sensitivity	1D <127>
StartDate	1E <128>
UTCStartDate	1F <129>
Subject	20 <130>
CompressedRTF	21 <131>
OrdinalDate	22 <132>
SubOrdinalDate	23 <133>
CalendarType	24 <134>
IsLeapMonth	25 <135>

2.2.1.2.11 Code Page 10: ResolveRecipients

The following table lists the tags in code page 10.

Tag	Token
ResolveRecipients	05
Response	06
Status	07
Type	08
Recipient	09
DisplayName	0A
EmailAddress	0B
Certificates	0C
Certificate	0D
MiniCertificate	0E
Options	0F
To	10
CertificateRetrieval	11
RecipientCount	12

Tag	Token
MaxCertificates	13
MaxAmbiguousRecipients	14
CertificateCount	15
Availability	16<136>
StartTime	17<137>
EndTime	18<138>
MergedFreeBusy	19<139>

2.2.1.2.12 Code Page 11: ValidateCert

The following table lists the tags in code page 11.

Tag	Token
ValidateCert	05
Certificates	06
Certificate	07
CertificateChain	08
CheckCRL	09
Status	0A

2.2.1.2.13 Code Page 12: Contacts2

The following table lists the tags in code page 12.

Tag	Token
CustomerId	05
GovernmentId	06
IMAddress	07
IMAddress2	08
IMAddress3	09
ManagerName	0A
CompanyMainPhone	0B
AccountName	0C
NickName	0D

Tag	Token
MMS	0E

2.2.1.2.14 Code Page 13: Ping

The following table lists the tags in code page 13.

Tag	Token
Ping	05
AutdState (Not used by protocol)	06
Status	07
HeartbeatInterval	08
Folders	09
Folder	0A
Id	0B
Class	0C
MaxFolders	0D

2.2.1.2.15 Code Page 14: Provision

The following table lists the tags in code page 14.

Tag	Token
Provision	05 <140>
Policies	06 <141>
Policy	07 <142>
PolicyType	08 <143>
PolicyKey	09 <144>
Data	0A <145>
Status	0B <146>
RemoteWipe	0C <147>
EASProvisionDoc	0D <148>
DevicePasswordEnabled	0E <149>
AlphanumericDevicePasswordRequired	0F <150>
DeviceEncryptionEnabled	10 <151>

Tag	Token
RequireStorageCardEncryption (equivalent to DeviceEncryptionEnabled)	10 <152>
PasswordRecoveryEnabled	11 <153>
DocumentBrowseEnabled	12 <154>
AttachmentsEnabled	13 <155>
MinDevicePasswordLength	14 <156>
MaxInactivityTimeDeviceLock	15 <157>
MaxDevicePasswordFailedAttempts	16 <158>
MaxAttachmentSize	17 <159>
AllowSimpleDevicePassword	18 <160>
DevicePasswordExpiration	19 <161>
DevicePasswordHistory	1A <162>
AllowStorageCard	1B <163>
AllowCamera	1C <164>
RequireDeviceEncryption	1D <165>
AllowUnsignedApplications	1E <166>
AllowUnsignedInstallationPackages	1F <167>
MinDevicePasswordComplexCharacters	20 <168>
AllowWiFi	21 <169>
AllowTextMessaging	22 <170>
AllowPOPIMAPEmail	23 <171>
AllowBluetooth	24 <172>
AllowIrDA	25 <173>
RequireManualSyncWhenRoaming	26 <174>
AllowDesktopSync	27 <175>
MaxCalendarAgeFilter	28 <176>
AllowHTMLEmail	29 <177>
MaxEmailAgeFilter	2A <178>
MaxEmailBodyTruncationSize	2B <179>
MaxEmailHTMLBodyTruncationSize	2C <180>
RequireSignedSMIMEMessages	2D <181>

Tag	Token
RequireEncryptedSMIMEMessages	2E <182>
RequireSignedSMIMEAlgorithm	2F <183>
RequireEncryptionSMIMEAlgorithm	30 <184>
AllowSMIMEEncryptionAlgorithmNegotiation	31 <185>
AllowSMIMESoftCerts	32 <186>
AllowBrowser	33 <187>
AllowConsumerEmail	34 <188>
AllowRemoteDesktop	35 <189>
AllowInternetSharing	36 <190>
UnapprovedInROMApplicationList	37 <191>
ApplicationName	38 <192>
ApprovedApplicationList	39 <193>
Hash	3A <194>

2.2.1.2.16 Code Page 15: Search

The following table lists the tags in code page 15.

Tag	Token
Search	05 <195>
Store	07 <196>
Name	08 <197>
Query	09 <198>
Options	0A <199>
Range	0B <200>
Status	0C <201>
Response	0D <202>
Result	0E <203>
Properties	0F <204>
Total	10 <205>
EqualTo	11 <206>
Value	12 <207>

Tag	Token
And	13 <208>
Or	14 <209>
FreeText	15 <210>
DeepTraversal	17 <211>
LongId	18 <212>
RebuildResults	19 <213>
LessThan	1A <214>
GreaterThan	1B <215>
Schema	1C <216>
Supported	1D <217>
UserName	1E <218>
Password	1F <219>
ConversationId	20 <220>

Note that tokens 06 and 16 are not supported.

2.2.1.2.17 Code Page 16: GAL

The following table lists the tags in code page 16.

Tag	Token
DisplayName	05
Phone	06
Office	07
Title	08
Company	09
Alias	0A
FirstName	0B
LastName	0C
HomePhone	0D
MobilePhone	0E
EmailAddress	0F

2.2.1.2.18 Code Page 17: AirSyncBase

The following table lists the tags in code page 17. [<221>](#)

Tag	Token
BodyPreference	05
Type	06
TruncationSize	07
AllOrNone	08
Body	0A
Data	0B
EstimatedDataSize	0C
Truncated	0D
Attachments	0E
Attachment	0F
DisplayName	10
FileReference	11
Method	12
ContentId	13
ContentLocation	14 (not used)
IsInline	15
NativeBodyType	16
ContentType	17
Preview	18 <222>

2.2.1.2.19 Code Page 18: Settings

The following table lists the tags in code page 18. [<223>](#)

Tag	Token
Settings	05 <224>
Status	06 <225>
Get	07 <226>
Set	08 <227>
Oof	09 <228>

Tag	Token
OofState	0A< 229 >
StartTime	0B< 230 >
EndTime	0C< 231 >
OofMessage	0D< 232 >
AppliesToInternal	0E< 233 >
AppliesToExternalKnown	0F< 234 >
AppliesToExternalUnknown	10< 235 >
Enabled	11< 236 >
ReplyMessage	12< 237 >
BodyType	13< 238 >
DevicePassword	14< 239 >
Password	15< 240 >
DeviceInformaton	16< 241 >
Model	17< 242 >
IMEI	18< 243 >
FriendlyName	19< 244 >
OS	1A< 245 >
OSLanguage	1B< 246 >
PhoneNumber	1C< 247 >
UserInfoation	1D< 248 >
EmailAddresses	1E< 249 >
SmtptAddress	1F< 250 >
UserAgent	20< 251 >
EnableOutboundSMS	21< 252 >
MobileOperator	22< 253 >

2.2.1.2.20 Code Page 19: DocumentLibrary

The following table lists the tags in code page 19.<[254](#)>

Tag	Token
LinkId	05

Tag	Token
DisplayName	06
IsFolder	07
CreationDate	08
LastModifiedDate	09
IsHidden	0A
ContentLength	0B
ContentType	0C

2.2.1.2.21 Code Page 20: ItemOperations

The following table lists the tags in code page 20. [<255>](#)

Tag	Token
ItemOperations	05
Fetch	06
Store	07
Options	08
Range	09
Total	0A
Properties	0B
Data	0C
Status	0D
Response	0E
Version	0F
Schema	10
Part	11
EmptyFolderContents	12
DeleteSubFolders	13
UserName	14 <256>
Password	15 <257>
Move	16 <258>
DstFldId	17 <259>

Tag	Token
ConversationId	18 <260>
MoveAlways	19 <261>

2.2.1.2.22 Code Page 21: ComposeMail

The following table lists the tags in code page 21. [<262>](#)

Tag	Token
SendMail	05
SmartForward	06
SmartReply	07
SaveInSentItems	08
ReplaceMime	09
Type	0A
Source	0B
FolderId	0C
ItemId	0D
LongId	0E
InstanceId	0F
MIME	10
ClientId	11
Status	12

2.2.1.2.23 Code Page 22: Email2

The following table lists the tags in code page 22. [<263>](#)

Tag	Token
UmCallerID	05
UmUserNotes	06
UmAttDuration	07
UmAttOrder	08
ConversationId	09
ConversationIndex	0A

Tag	Token
LastVerbExecuted	0B
LastVerbExecutionTime	0C
ReceivedAsBcc	0D
Sender	0E
CalendarType	0F
IsLeapMonth	10

2.2.1.2.24 Code Page 23: Notes

The following table lists the tags in code page 23. [<264>](#)

Tag	Token
Subject	05
MessageClass	06
LastModifiedDate	07
Categories	08
Category	09

3 Protocol Details

3.1 Common Details

3.1.1 Abstract Data Model

This section describes a conceptual model of possible data organization that an implementation maintains to participate in this protocol. The described organization is provided to facilitate the explanation of how the protocol behaves. This document does not mandate that implementations adhere to this model as long as their external behavior is consistent with that described in this document.

The abstract data model follows what is specified in [\[WBXML\]](#).

3.1.2 Timers

None.

3.1.3 Initialization

None.

3.1.4 Higher-Layer Triggered Events

None.

3.1.5 Message Processing Events and Sequencing Rules

Message processing is specified in [\[WBXML\]](#), in the Document Tokenisation section.

3.1.6 Timer Events

None.

3.1.7 Other Local Events

None.

4 Protocol Examples

The following examples show the WBXML encoding of the messages, and provide a byte-by-byte description of the encoding.

4.1 Example 1

The following example shows the WBXML encoding of a server response that contains a new **contact**.

4.1.1 XML Message

```
<?xml version="1.0" encoding="utf-8"?>
<Sync xmlns="AirSync:" xmlns:A="AirSyncBase:" xmlns:B="POOMCONTACTS:">
  <Collections>
    <Collection>
      <Class>Contacts</Class>
      <SyncKey>2</SyncKey>
      <CollectionId>2</CollectionId>
      <Status>1</Status>
      <Commands>
        <Add>
          <ServerId>2:1</ServerId>
          <ApplicationData>
            <A:Body>
              <A:Type>1</A:Type>
              <A:EstimatedDataSize>0</A:EstimatedDataSize>
              <A:Truncated>1</A:Truncated>
            </A:Body>
            <B:FileAs>Hall, Don</B:FileAs>
            <B:FirstName>Don</B:FirstName>
            <B:LastName>Hall</B:LastName>
            <A:NativeBodyType>1</A:NativeBodyType>
          </ApplicationData>
        </Add>
      </Commands>
    </Collection>
  </Collections>
</Sync>
```

4.1.2 WBXML Encoding

```
03 01 6A 00 45 5C 4F 50 03 43 6F 6E 74 61 63 74 73 00 01 4B 03 32 00 01 52 03 32 00 01 4E 03
31 00 01 56 47 4D 03 32 3A 31 00 01 5D 00 11 4A 46 03 31 00 01 4C 03 30 00 01 4D 03 31 00 01
01 00 01 5E 03 48 61 6C 6C 2C 20 44 6F 6E 00 01 5F 03 44 6F 6E 00 01 69 03 48 61 6C 6C 00 01
00 11 56 03 31 00 01 01 01 01 01 01 01
```

```
..j.E\OP.Contacts..K.2..R.2..N.1..VGM.2:1..].JF.1..L.0..M.1.....^Hall,
Don.._.Don..i.Hall....V.1.....
```

4.1.3 Byte Encoding

Bytes	Description
03	Version number – WBXML version 1.3

Bytes	Description
01	Unknown public identifier
6A	Charset = UTF-8
00	String table length
45	<Sync>, with content (0x05 + 0x40)
5C	<Collections>, with content
4F	<Collection>, with content
50	<Class>, with content
03	Inline string follows
43 6F 6E 74 61 63 74 73 00	"contacts" (the 00 is the end of the string)
01	</Class>
4B	<SyncKey>, with content
03	Inline string follows
32 00	"2"
01	</SyncKey>
52	<CollectionID>, with content
03	Inline string follows
32 00	"2"
01	</CollectionID>
4E	<Status>, with content
03	Inline string follows
31 00	"1"
01	</Status>
56	<Commands>, with content
47	<Add>, with content
4D	<ServerId>, with content
03	Inline string follows
32 3A 31 00	"2:1"
01	</ServerId>
5D	<ApplicationData>, with content
00 11	Select code page 17 (AirSyncBase)

Bytes	Description
4A	<Body>, with content
46	<Type>, with content
03	Inline string follows
31 00	"1"
01	</Type>
4C	<EstimatedDataSize>, with content
03	Inline string follows
30 00	"0"
01	</EstimatedDataSize>
4d	<Truncated>, with content
03	Inline string follows
31 00	"1"
01	</Truncated>
01	</Body>
00 01	Select code page 1 (Contacts)
5E	<FileAs>, with content
03	Inline string follows
48 61 6C 6C 2C 20 44 6F 6E 00	"Hall, Don"
01	</FileAs>
5F	<FirstName>, with content
03	Inline string follows
44 6F 6E 00	"Don"
01	</FirstName>
69	<LastName>, with content
03	Inline string follows
48 61 6C 6C 00	"Hall"
01	</LastName>
00 11	Select code page 17 (AirSyncBase)
56	<NativeBodyType>, with content
03	Inline string follows

Bytes	Description
31 00	"1"
01	</NativeBodyType>
01	</ApplicationData>
01	</Add>
01	</Commands>
01	</Collection>
01	</Collections>
01	</Sync>

5 Security

5.1 Security Considerations for Implementers

In most cases, all communication between the client and server happens across an HTTP connection secured by the **Secure Sockets Layer (SSL)** protocol as specified in [\[RFC2616\]](#). The SSL connection is assumed to be secure enough to transmit confidential data, such as user credentials and sensitive e-mail. The SSL certificate on the server is assumed to be trusted by the client application.

5.2 Index of Security Parameters

None.

6 Appendix A: Product Behavior

The information in this specification is applicable to the following product versions. References to product versions include released service packs.

- Microsoft Exchange Server 2007
- Microsoft Exchange Server 2010

Exceptions, if any, are noted below. If a service pack number appears with the product version, behavior changed in that service pack. The new behavior also applies to subsequent service packs of the product unless otherwise specified.

Unless otherwise specified, any statement of optional behavior in this specification prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that product does not follow the prescription.

[<1> Section 2.2.1.2.1:](#) This token is only supported by ActiveSync protocol versions 2.0 and 2.5.

[<2> Section 2.2.1.2.1:](#) This token is only supported by ActiveSync protocol versions 2.0 and 2.5.

[<3> Section 2.2.1.2.1:](#) This token is only supported by ActiveSync protocol versions 2.0 and 2.5.

[<4> Section 2.2.1.2.1:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<5> Section 2.2.1.2.1:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<6> Section 2.2.1.2.1:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<7> Section 2.2.1.2.1:](#) This token is only supported by ActiveSync protocol version 14.0.

[<8> Section 2.2.1.2.1:](#) This token is only supported by ActiveSync protocol version 14.0.

[<9> Section 2.2.1.2.1:](#) This token is only supported by ActiveSync protocol version 14.0.

[<10> Section 2.2.1.2.2:](#) This token is only supported by ActiveSync protocol version 2.5.

[<11> Section 2.2.1.2.2:](#) This token is only supported by ActiveSync protocol version 14.0.

[<12> Section 2.2.1.2.2:](#) This token is only supported by ActiveSync protocol version 14.0.

[<13> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<14> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<15> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<16> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<17> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<18> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<19> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<20> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<21> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<22> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<23> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<24> Section 2.2.1.2.3:](#) The <Category> element is not supported by Exchange 2007. This token is supported as a child of the **Add** or **Change** commands in a **Sync** request ([\[MS-ASCMD\]](#) section 2.2.1.19) by ActiveSync version 14.0.

[<25> Section 2.2.1.2.3:](#) The Category element is not supported by Exchange 2007. This token is supported as a child of the **Add** or **Change** commands in a **Sync** request ([\[MS-ASCMD\]](#) section 2.2.1.19) by ActiveSync version 14.0.

[<26> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<27> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<28> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<29> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<30> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<31> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<32> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<33> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<34> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<35> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<36> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<37> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<38> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<39> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<40> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<41> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<42> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<43> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<44> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<45> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<46> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<47> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<48> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<49> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<50> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<51> Section 2.2.1.2.3:](#) This token is only supported by ActiveSync protocol version 2.5.

[<52> Section 2.2.1.2.3:](#) This token is only supported by ActiveSync protocol version 2.5.

[<53> Section 2.2.1.2.3:](#) This token is only supported by ActiveSync protocol version 2.5.

[<54> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<55> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<56> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<57> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<58> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<59> Section 2.2.1.2.3:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<60> Section 2.2.1.2.3:](#) This token is only supported by ActiveSync protocol version 14.0.

[<61> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<62> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<63> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<64> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<65> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<66> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<67> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<68> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<69> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<70> Section 2.2.1.2.5:](#) This token is only supported by ActiveSync protocol version 2.5.

[<71> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<72> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<73> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<74> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<75> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<76> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<77> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<78> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<79> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<80> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<81> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<82> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<83> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<84> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<85> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<86> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<87> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<88> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<89> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<90> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<91> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<92> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<93> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<94> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<95> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<96> Section 2.2.1.2.5:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<97> Section 2.2.1.2.5:](#) This token is only supported by ActiveSync protocol version 14.0.

[<98> Section 2.2.1.2.5:](#) This token is only supported by ActiveSync protocol version 14.0.

[<99> Section 2.2.1.2.5:](#) This token is only supported by ActiveSync protocol version 14.0.

[<100> Section 2.2.1.2.5:](#) This token is only supported by ActiveSync protocol version 14.0.

[<101> Section 2.2.1.2.5:](#) This token is only supported by ActiveSync protocol version 14.0.

[<102> Section 2.2.1.2.5:](#) This token is only supported by ActiveSync protocol version 14.0.

[<103> Section 2.2.1.2.7:](#) This token is not supported by ActiveSync protocol version 14.

[<104> Section 2.2.1.2.7:](#) This token is not supported by ActiveSync protocol version 14, which instead uses the <Class> tag defined in code page 0.

[<105> Section 2.2.1.2.7:](#) This token is not supported by ActiveSync protocol version 14.

[<106> Section 2.2.1.2.10:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<107> Section 2.2.1.2.10:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<108> Section 2.2.1.2.10:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<109> Section 2.2.1.2.10:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<110> Section 2.2.1.2.10:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<111> Section 2.2.1.2.10:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<112> Section 2.2.1.2.10:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<113> Section 2.2.1.2.10:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<114> Section 2.2.1.2.10:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<115> Section 2.2.1.2.10:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<116> Section 2.2.1.2.10:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<117> Section 2.2.1.2.10:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<118> Section 2.2.1.2.10:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<119> Section 2.2.1.2.10:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<120> Section 2.2.1.2.10:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<121> Section 2.2.1.2.10:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<122> Section 2.2.1.2.10:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<123> Section 2.2.1.2.10:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<124> Section 2.2.1.2.10:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<125> Section 2.2.1.2.10:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<126> Section 2.2.1.2.10:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<127> Section 2.2.1.2.10:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<128> Section 2.2.1.2.10:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<129> Section 2.2.1.2.10:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<130> Section 2.2.1.2.10:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1, and 14.0.

[<131> Section 2.2.1.2.10:](#) This token is supported in code page 9 by ActiveSync protocol version 2.5, but is supported in code page 17 as the Type tag in ActiveSync versions 12.0, 12.1, and 14.0.

[<132> Section 2.2.1.2.10:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<133> Section 2.2.1.2.10:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<134> Section 2.2.1.2.10:](#) This token is only supported by ActiveSync protocol version 14.0.

[<135> Section 2.2.1.2.10:](#) This token is only supported by ActiveSync protocol version 14.0.

[<136> Section 2.2.1.2.11:](#) This token is only supported by ActiveSync protocol version 14.0.

[<137> Section 2.2.1.2.11:](#) This token is only supported by ActiveSync protocol version 14.0.

[<138> Section 2.2.1.2.11:](#) This token is only supported by ActiveSync protocol version 14.0.

[<139> Section 2.2.1.2.11:](#) This token is only supported by ActiveSync protocol version 14.0.

[<140> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1 and 14.0.

[<141> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1 and 14.0.

[<142> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1 and 14.0.

[<143> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1 and 14.0.

[<144> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1 and 14.0.

[<145> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1 and 14.0.

[<146> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1 and 14.0.

[<147> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 2.5, 12.0, 12.1 and 14.0.

[<148> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<149> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<150> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<151> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<152> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1, and 14.0.

[<153> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<154> Section 2.2.1.2.15:](#) This token is only supported by ActiveSync protocol versions 2.0 and 2.5.

[<155> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<156> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<157> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<158> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<159> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<160> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<161> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<162> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<163> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<164> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<165> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<166> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<167> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<168> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<169> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<170> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<171> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<172> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<173> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<174> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<175> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<176> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<177> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<178> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<179> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<180> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<181> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<182> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<183> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<184> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<185> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<186> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<187> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<188> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<189> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<190> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<191> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<192> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<193> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<194> Section 2.2.1.2.15:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<195> Section 2.2.1.2.16:](#) This token is supported by Exchange ActiveSync protocol versions 12.0, 12.1 and 14.

[<196> Section 2.2.1.2.16:](#) This token is supported by Exchange ActiveSync protocol versions 12.0, 12.1 and 14.

[<197> Section 2.2.1.2.16:](#) This token is supported by Exchange ActiveSync protocol versions 12.0, 12.1 and 14.

[<198> Section 2.2.1.2.16:](#) This token is supported by Exchange ActiveSync protocol versions 12.0, 12.1 and 14.

[<199> Section 2.2.1.2.16:](#) This token is supported by Exchange ActiveSync protocol versions 12.0, 12.1 and 14.

[<200> Section 2.2.1.2.16:](#) This token is supported by Exchange ActiveSync protocol versions 12.0, 12.1 and 14.

[<201> Section 2.2.1.2.16:](#) This token is supported by Exchange ActiveSync protocol versions 12.0, 12.1 and 14.

[<202> Section 2.2.1.2.16:](#) This token is supported by Exchange ActiveSync protocol versions 12.0, 12.1 and 14.

[<203> Section 2.2.1.2.16:](#) This token is supported by Exchange ActiveSync protocol versions 12.0, 12.1 and 14.

[<204> Section 2.2.1.2.16:](#) This token is supported by Exchange ActiveSync protocol versions 12.0, 12.1 and 14.

[<205> Section 2.2.1.2.16:](#) This token is supported by Exchange ActiveSync protocol versions 12.0, 12.1 and 14.

[<206> Section 2.2.1.2.16:](#) This token is supported by Exchange ActiveSync protocol versions 12.0, 12.1 and 14.

[<207> Section 2.2.1.2.16:](#) This token is supported by Exchange ActiveSync protocol versions 12.0, 12.1 and 14.

[<208> Section 2.2.1.2.16:](#) This token is supported by Exchange ActiveSync protocol versions 12.0, 12.1 and 14.

[<209> Section 2.2.1.2.16:](#) This token is only supported by Exchange ActiveSync protocol version 14.

[<210> Section 2.2.1.2.16:](#) This token is supported by Exchange ActiveSync protocol versions 12.0, 12.1 and 14.

[<211> Section 2.2.1.2.16:](#) This token is supported by Exchange ActiveSync protocol versions 12.0, 12.1 and 14.

[<212> Section 2.2.1.2.16:](#) This token is supported by Exchange ActiveSync protocol versions 12.0, 12.1 and 14.

[<213> Section 2.2.1.2.16:](#) This token is supported by Exchange ActiveSync protocol versions 12.0, 12.1 and 14.

[<214> Section 2.2.1.2.16:](#) This token is supported by Exchange ActiveSync protocol versions 12.0, 12.1 and 14.

[<215> Section 2.2.1.2.16:](#) This token is supported by Exchange ActiveSync protocol versions 12.0, 12.1 and 14.

[<216> Section 2.2.1.2.16:](#) This token is supported by Exchange ActiveSync protocol versions 12.0, 12.1 and 14.

[<217> Section 2.2.1.2.16:](#) This token is supported by Exchange ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<218> Section 2.2.1.2.16:](#) This token is supported by Exchange ActiveSync protocol versions 12.1 and 14.0.

[<219> Section 2.2.1.2.16:](#) This token is supported by Exchange ActiveSync protocol versions 12.1 and 14.0.

[<220> Section 2.2.1.2.16:](#) This token is only supported by Exchange ActiveSync protocol version 14.0.

[<221> Section 2.2.1.2.18:](#) This code page is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<222> Section 2.2.1.2.18:](#) This token is only supported by ActiveSync protocol version 14.0.

[<223> Section 2.2.1.2.19:](#) This code page is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<224> Section 2.2.1.2.19:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<225> Section 2.2.1.2.19:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<226> Section 2.2.1.2.19:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<227> Section 2.2.1.2.19:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<228> Section 2.2.1.2.19:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<229> Section 2.2.1.2.19:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<230> Section 2.2.1.2.19:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<231> Section 2.2.1.2.19:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<232> Section 2.2.1.2.19:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<233> Section 2.2.1.2.19:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<234> Section 2.2.1.2.19:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<235> Section 2.2.1.2.19:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<236> Section 2.2.1.2.19:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<237> Section 2.2.1.2.19:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<238> Section 2.2.1.2.19:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<239> Section 2.2.1.2.19:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<240> Section 2.2.1.2.19:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<241> Section 2.2.1.2.19:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<242> Section 2.2.1.2.19:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<243> Section 2.2.1.2.19:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<244> Section 2.2.1.2.19:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<245> Section 2.2.1.2.19:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<246> Section 2.2.1.2.19:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<247> Section 2.2.1.2.19:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<248> Section 2.2.1.2.19:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<249> Section 2.2.1.2.19:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<250> Section 2.2.1.2.19:](#) This token is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<251> Section 2.2.1.2.19:](#) This token is supported by ActiveSync protocol versions 12.1 and 14.0.

[<252> Section 2.2.1.2.19:](#) This token is only supported by ActiveSync protocol version 14.0.

[<253> Section 2.2.1.2.19:](#) This token is only supported by ActiveSync protocol version 14.0.

[<254> Section 2.2.1.2.20:](#) This code page is supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<255> Section 2.2.1.2.21:](#) This code page is only supported by ActiveSync protocol versions 12.0, 12.1, and 14.0.

[<256> Section 2.2.1.2.21:](#) This token is only supported by ActiveSync protocol versions 12.1 and 14.0.

[<257> Section 2.2.1.2.21:](#) This token is only supported by ActiveSync protocol versions 12.1 and 14.0.

[<258> Section 2.2.1.2.21:](#) This token is only supported by ActiveSync protocol version 14.0.

[<259> Section 2.2.1.2.21:](#) This token is only supported by ActiveSync protocol version 14.0.

[<260> Section 2.2.1.2.21:](#) This token is only supported by ActiveSync protocol version 14.0.

[<261> Section 2.2.1.2.21:](#) This token is only supported by ActiveSync protocol version 14.0.

[<262> Section 2.2.1.2.22:](#) This code page is only supported by ActiveSync protocol version 14.0.

[<263> Section 2.2.1.2.23:](#) This code page is only supported by ActiveSync protocol version 14.0.

[<264> Section 2.2.1.2.24:](#) This code page is only supported by ActiveSync protocol version 14.0, and is not present in prior versions of ActiveSync.

7 Change Tracking

This section identifies changes made to [MS-ASWBXML] protocol documentation between November 2009 and February 2010 releases. Changes are classed as major, minor, or editorial.

Major changes affect protocol interoperability or implementation. Examples of major changes are:

- A document revision that incorporates changes to interoperability requirements or functionality.
- An extensive rewrite, addition, or deletion of major portions of content.
- A protocol is deprecated.
- The removal of a document from the documentation set.
- Changes made for template compliance.

Minor changes do not affect protocol interoperability or implementation. Examples are updates to fix technical accuracy or ambiguity at the sentence, paragraph, or table level.

Editorial changes apply to grammatical, formatting, and style issues.

No changes means that the document is identical to its last release.

Major and minor changes can be described further using the following revision types:

- New content added.
- Content update.
- Content removed.
- New product behavior note added.
- Product behavior note updated.
- Product behavior note removed.
- New protocol syntax added.
- Protocol syntax updated.
- Protocol syntax removed.
- New content added due to protocol revision.
- Content updated due to protocol revision.
- Content removed due to protocol revision.
- New protocol syntax added due to protocol revision.
- Protocol syntax updated due to protocol revision.
- Protocol syntax removed due to protocol revision.
- New content added for template compliance.
- Content updated for template compliance.

- Content removed for template compliance.
- Obsolete document removed.

Editorial changes always have the revision type "Editorially updated."

Some important terms used in revision type descriptions are defined as follows:

Protocol syntax refers to data elements (such as packets, structures, enumerations, and methods) as well as interfaces.

Protocol revision refers to changes made to a protocol that affect the bits that are sent over the wire.

Changes are listed in the following table. If you need further information, please contact protocol@microsoft.com.

Section	Tracking number (if applicable) and description	Major change (Y or N)	Revision Type
1.4 Relationship to Other Protocols	53713 Clarified that code pages are listed in decimal format.	N	Content update.
2.2.1.2.2 Code Page 1: Contacts	49445 Removed Body, BodySize and BodyTruncated tags, which are no longer supported in this code page.	Y	Content removed.
2.2.1.2.3 Code Page 2: Email	50279 Noted that Categories and Categories.Category are only supported as children of the Add or Change commands in ActiveSync v14.0.	Y	Content update.
2.2.1.2.3 Code Page 2: Email	49445 Removed legacy elements from ActiveSync protocol version 2.5 that are now supported in other code pages.	Y	Content removed.
2.2.1.2.5 Code Page 4: Calendar	49446 Removed legacy elements from ActiveSync protocol version 2.5 that are now supported in other code pages.	Y	Content removed.
2.2.1.2.5 Code Page 4: Calendar	49580 Clarified support for the ResponseRequested tag by ActiveSync protocol version.	Y	Content removed.
2.2.1.2.7 Code Page 6: ItemEstimate	53955 Clarified that the Class tag from this code page is not used by ActiveSync protocol version 14.	Y	Content update.
2.2.1.2.8 Code Page 7: FolderHierarchy	Removed Folders, Folder, Response, ClassContent and Version tags, as they are no longer supported by the protocol.	Y	Content removed.
2.2.1.2.9 Code Page 8:	51349 Removed the Version tag, which is not used by the	Y	Content removed.

Section	Tracking number (if applicable) and description	Major change (Y or N)	Revision Type
MeetingResponse	MeetingResponse command.		
2.2.1.2.14 Code Page 13: Ping	54004 Removed the Version tag, as it is only supported in versions of ActiveSync that are not covered by this specification.	Y	Content removed.

8 Index

C

[Capability negotiation](#) 7

[Change tracking](#) 50

Client

[overview](#) 31

E

Examples

[overview](#) 32

F

[Fields – vendor-extensible](#) 7

G

[Glossary](#) 5

I

[implementer – security considerations](#) 36

[Index of security parameters](#) 36

[Informative references](#) 6

[Introduction](#) 5

M

Messages

[overview](#) 9

Messaging

[transport](#) 9

N

[Normative references](#) 5

O

[Overview](#) 6

P

[Parameters – security index](#) 36

[Preconditions](#) 7

[Prerequisites](#) 7

[Product behavior](#) 37

R

References

[informative](#) 6

[normative](#) 5

[Relationship to other protocols](#) 6

S

Security

[implementer considerations](#) 36

[overview](#) 36

[parameter index](#) 36

[Standards Assignments](#) 7

T

[Tracking changes](#) 50

[Transport](#) 9

V

[Vendor-extensible fields](#) 7

[Versioning](#) 7