

[MS-DOM2TR]:

Internet Explorer Document Object Model (DOM) Level 2 Traversal and Range Standards Support Document

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation (“this documentation”) for protocols, file formats, data portability, computer languages, and standards support. Additionally, overview documents cover inter-protocol relationships and interactions.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you can make copies of it in order to develop implementations of the technologies that are described in this documentation and can distribute portions of it in your implementations that use these technologies or in your documentation as necessary to properly document the implementation. You can also distribute in your implementation, with or without modification, any schemas, IDLs, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications documentation.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that might cover your implementations of the technologies described in the Open Specifications documentation. Neither this notice nor Microsoft's delivery of this documentation grants any licenses under those patents or any other Microsoft patents. However, a given Open Specifications document might be covered by the Microsoft [Open Specifications Promise](#) or the [Microsoft Community Promise](#). If you would prefer a written license, or if the technologies described in this documentation are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplg@microsoft.com.
- **License Programs.** To see all of the protocols in scope under a specific license program and the associated patents, visit the [Patent Map](#).
- **Trademarks.** The names of companies and products contained in this documentation might be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights. For a list of Microsoft trademarks, visit www.microsoft.com/trademarks.
- **Fictitious Names.** The example companies, organizations, products, domain names, email addresses, logos, people, places, and events that are depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than as specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications documentation does not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments, you are free to take advantage of them. Certain Open Specifications documents are intended for use in conjunction with publicly available standards specifications and network programming art and, as such, assume that the reader either is familiar with the aforementioned material or has immediate access to it.

Support. For questions and support, please contact dochelp@microsoft.com.

Revision Summary

Date	Revision History	Revision Class	Comments
9/8/2010	0.1	New	Released new document.
2/10/2011	1.0	Minor	Clarified the meaning of the technical content.
2/22/2012	3.0	Major	Significantly changed the technical content.
7/25/2012	3.1	Minor	Clarified the meaning of the technical content.
6/26/2013	4.0	Major	Significantly changed the technical content.
3/31/2014	4.0	None	No changes to the meaning, language, or formatting of the technical content.
1/22/2015	5.0	Major	Updated for new product version.
7/7/2015	5.1	Minor	Clarified the meaning of the technical content.
11/2/2015	5.1	None	No changes to the meaning, language, or formatting of the technical content.
3/22/2016	5.1	None	No changes to the meaning, language, or formatting of the technical content.
11/2/2016	5.1	None	No changes to the meaning, language, or formatting of the technical content.
3/14/2017	5.1	None	No changes to the meaning, language, or formatting of the technical content.
10/3/2017	5.1	None	No changes to the meaning, language, or formatting of the technical content.
2/22/2018	5.1	None	No changes to the meaning, language, or formatting of the technical content.
3/23/2018	5.1	None	No changes to the meaning, language, or formatting of the technical content.
8/28/2018	5.1	None	No changes to the meaning, language, or formatting of the technical content.

Table of Contents

1	Introduction	4
1.1	Glossary	4
1.2	References	4
1.2.1	Normative References	4
1.2.2	Informative References	4
1.3	Microsoft Implementations	4
1.4	Standards Support Requirements	5
1.5	Notation.....	5
2	Standards Support Statements.....	7
2.1	Normative Variations	7
2.1.1	[DOM Level 2 - Traversal Range] Section 1.2, Formal Interface Definition.....	7
2.1.2	[DOM Level 2 - Traversal Range] Section 2.6, Deleting Content with a Range	8
2.1.3	[DOM Level 2 - Traversal Range] Section 2.12, Range modification under document mutation	8
2.2	Clarifications	9
2.3	Extensions	9
2.3.1	[DOM Level 2 - Traversal Range] Section 2.13, Formal Description of the Range Interface	9
2.4	Error Handling	9
2.5	Security	9
3	Change Tracking.....	10
4	Index.....	11

1 Introduction

This document describes the level of support provided by Microsoft web browsers for the *Document Object Model (DOM) Level 2 Traversal and Range Specification* [[DOM Level 2 - Traversal Range](#)] Version 1.0, W3C Recommendation 13 November 2000.

The [[DOM Level 2 - Traversal Range](#)] specification may contain guidance for authors of webpages and browser users, in addition to user agents (browser applications). Statements found in this document apply only to normative requirements in the specification targeted to user agents, not those targeted to authors.

1.1 Glossary

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as defined in [[RFC2119](#)]. All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

Links to a document in the Microsoft Open Specifications library point to the correct section in the most recently published version of the referenced document. However, because individual documents in the library are not updated at the same time, the section numbers in the documents may not match. You can confirm the correct section numbering by checking the [Errata](#).

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We will assist you in finding the relevant information.

[[DOM Level 2 - Traversal Range](#)] World Wide Web Consortium, "Document Object Model (DOM) Level 2 Traversal and Range Specification Version 1.0", W3C Recommendation 13 November 2000, <http://www.w3.org/TR/DOM-Level-2-Traversal-Range/>

[[RFC2119](#)] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.rfc-editor.org/rfc/rfc2119.txt>

1.2.2 Informative References

None.

1.3 Microsoft Implementations

The following Microsoft web browser versions implement some portion of the [[DOM Level 2 - Traversal Range](#)] specification:

- Windows Internet Explorer 9
- Windows Internet Explorer 10
- Internet Explorer 11
- Internet Explorer 11 for Windows 10
- Microsoft Edge

Each browser version may implement multiple document rendering modes. The modes vary from one to another in support of the standard. The following table lists the document modes in each browser version that support the specification.

Browser Version	Document Modes Supported
Internet Explorer 9	IE9 Mode
Internet Explorer 10	IE9 Mode IE10 Mode
Internet Explorer 11	IE9 Mode IE10 Mode IE11 Mode
Internet Explorer 11 for Windows 10	IE9 Mode IE10 Mode IE11 Mode
Microsoft Edge	EdgeHTML Mode

For each variation presented in this document there is a list of the document modes and browser versions that exhibit the behavior described by the variation. All combinations of modes and versions that are not listed conform to the specification. For example, the following list for a variation indicates that the variation exists in three document modes in all browser versions that support these modes:

IE9 Mode, IE10 Mode, and IE11 Mode (All Versions)

1.4 Standards Support Requirements

To conform to [\[DOM Level 2 - Traversal Range\]](#), a user agent must implement all required portions of the specification. Any optional portions that have been implemented must also be implemented as described by the specification. Normative language is usually used to define both required and optional portions. (For more information, see [\[RFC2119\]](#).)

The following table lists the sections of [\[DOM Level 2 - Traversal Range\]](#) and whether they are considered normative or informative.

Sections	Normative/Informative
1	Normative
2	Normative

1.5 Notation

The following notations are used in this document to differentiate between notes of clarification, variation from the specification, and extension points.

Notation	Explanation
C####	Identifies a clarification of ambiguity in the target specification. This includes imprecise statements, omitted information, discrepancies, and errata. This does not include data formatting clarifications.
V####	Identifies an intended point of variability in the target specification such as the use of MAY, SHOULD,

Notation	Explanation
	or RECOMMENDED. (See RFC2119 .) This does not include extensibility points.
E####	Identifies extensibility points (such as optional implementation-specific data) in the target specification, which can impair interoperability.

For document mode and browser version notation, see section [1.3](#).

2 Standards Support Statements

This section contains all variations, clarifications, and extensions for the Microsoft implementation of [\[DOM Level 2 - Traversal Range\]](#).

- Section [2.1](#) describes normative variations from the MUST requirements of the specification.
- Section [2.2](#) describes clarifications of the MAY and SHOULD requirements.
- Section [2.3](#) describes extensions to the requirements
- Section [2.4](#) considers error handling aspects of the implementation.
- Section [2.5](#) considers security aspects of the implementation.

2.1 Normative Variations

The following subsections describe normative variations from the MUST requirements of [\[DOM Level 2 - Traversal Range\]](#).

2.1.1 [DOM Level 2 - Traversal Range] Section 1.2, Formal Interface Definition

V0001:

The specification states:

```
filter of type NodeFilter, readonly
    The NodeFilter used to screen nodes.
```

IE9 Mode, IE10 Mode, IE11 Mode, and EdgeHTML Mode (All Versions)

The **filter** property returns a function pointer to the **NodeFilter** callback.

V0002:

The specification states:

```
acceptNode
    Test whether a specified node is visible in the logical view of a TreeWalker or NodeIterator.
    This function will be called by the implementation of TreeWalker and NodeIterator; it is not
    normally called directly from user code. (Though you could do so if you wanted to use the
    same filter to guide your own application logic.)
```

```
Parameters
n of type Node
    The node to check to see if it passes the filter or not.
```

```
Return Value
short a constant to determine whether the node is accepted, rejected, or skipped, as defined
above.
```

```
No Exceptions
```

IE9 Mode, IE10 Mode, IE11 Mode, and EdgeHTML Mode (All Versions)

The **acceptNode** method can return a hexadecimal string of the form "0x1", which indicates FILTER_ACCEPT behavior. However, in this case, the string is not converted into the FILTER_ACCEPT constant value.

V0007:

The specification states:

`createNodeIterator`

Create a new `NodeIterator` over the subtree rooted at the specified node. Parameters
root of type `Node`

The node which will be iterated together with its children. The iterator is initially positioned just before this node. The `whatToShow` flags and the filter, if any, are not considered when setting this position. The root must not be null.
`whatToShow` of type `unsigned long`

This flag specifies which node types may appear in the logical view of the tree presented by the iterator. See the description of `NodeFilter` for the set of possible `SHOW_` values.

These flags can be combined using OR.
filter of type `NodeFilter`

The `NodeFilter` to be used with this `TreeWalker`, or null to indicate no filter.
entityReferenceExpansion of type `boolean`

The value of this flag determines whether entity reference nodes are expanded.

Return Value

`NodeIterator` The newly created `NodeIterator`.

Exceptions

`DOMException NOT_SUPPORTED_ERR`: Raised if the specified root is null.

IE9 Mode, IE10 Mode, and IE11 Mode (All Versions)

The **`NodeIterator`** returned by the **`createNodeIterator`** method has the **`whatToShow`** property value set as `-1` instead of the expected value of `0xFFFFFFFF`.

2.1.2 [DOM Level 2 - Traversal Range] Section 2.6, Deleting Content with a Range

V0011:

The specification states:

Note that if deletion of a `Range` leaves adjacent `Text` nodes, they are not automatically merged, and empty `Text` nodes are not automatically removed. Two `Text` nodes should be joined only if each is the container of one of the boundary-points of a `Range` whose contents are deleted. To merge adjacent `Text` nodes, or remove empty `Text` nodes, the `normalize()` method on the `Node` interface should be used.

IE9 Mode, IE10 Mode, IE11 Mode, and EdgeHTML Mode (All Versions)

If a `Range` corresponds to a complete `Text` node and **`deleteContents()`** is called, the empty `Text` node is removed from the tree.

2.1.3 [DOM Level 2 - Traversal Range] Section 2.12, Range modification under document mutation

V0004:

The specification states:

There are two general principles which apply to Ranges under document mutation: The first is that all Ranges in a document will remain valid after any mutation operation and the second is that, as much as possible, all Ranges will select the same portion of the document after any mutation operation.

IE9 Mode, IE10 Mode, and IE11 Mode (All Versions)

If the boundary points are positioned on the end points of a text node, and if methods such as **replaceWholeText** or **appendData** are used to modify the text node, the boundary points after the operation are incorrect. This error occurs because Windows Internet Explorer cannot distinguish between the first position within a text node and the beginning offset of the text node within its parent.

2.2 Clarifications

There are no clarifications of the MAY and SHOULD requirements of [\[DOM Level 2 - Traversal Range\]](#).

2.3 Extensions

The following subsections describe extensions to the requirements of [\[DOM Level 2 - Traversal Range\]](#).

2.3.1 [DOM Level 2 - Traversal Range] Section 2.13, Formal Description of the Range Interface

E0001:

The specification describes the **Range** interface.

IE10 Mode, IE11 Mode, and EdgeHTML Mode (All Versions)

The **createContextualFragment()** method has been added to the **Range** interface. The **createContextualFragment()** method parses a string of HTML into a **DocumentFragment** using the starting node of a DOM Range as the parsing context.

2.4 Error Handling

There are no additional error handling considerations.

2.5 Security

There are no additional security considerations.

3 Change Tracking

No table of changes is available. The document is either new or has had no changes since its last release.

4 Index

C

[Change tracking](#) 10

D

[Deleting Content with a Range](#) 8

F

[Formal Description of the Range Interface](#) 9

[Formal Interface Definition](#) 7

G

[Glossary](#) 4

I

[Informative references](#) 4

[Introduction](#) 4

N

[Normative references](#) 4

R

[Range modification under document mutation](#) 8

References

[informative](#) 4

[normative](#) 4

T

[Tracking changes](#) 10